



ART.122 OS	Rif.		Occhiello semplice x regolatore di flusso				
CODICE	ØT	A	D	D1	L	L1	H
OS4/005	4	M5	10	2	19	12	12,5
OS4/000	4	1/8	10	2	20	14,5	12,5
OS5/005	5	M5	11	2	20	12	13
OS5/000	5	1/8	11	3	20,5	14,5	13
OS6/005	6	M5	12	3	20,5	12	13,5
OS6/000	6	1/8	12	4	20,5	14,5	13,5
OS6/001	6	1/4	12	4	22,5	18	13,5
OS8/000	8	1/8	15	5	24	14,5	16
OS8/001	8	1/4	15	6	26	18	16
OS8/002	8	3/8	15	6	27,5	21	16
OS10/001	10	1/4	17,6	7	27	18	16,5
OS10/002	10	3/8	17,6	7,5	29	21	16,5
OS12/001	12	1/4	20	7	31,5	18	19




ART.123 OD	Rif.		Occhiello doppio				
CODICE	ØT	A	D	D1	L	L1	H
OD4/005	4	M5	10	2	19	12	12,5
OD4/000	4	1/8	10	2	20	14,5	12,5
OD5/005	5	M5	11	2	20	12	13
OD5/000	5	1/8	11	3	20,5	14,5	13
OD6/005	6	M5	12	3	20,5	12	13,5
OD6/000	6	1/8	12	4	20,5	14,5	13,5
OD6/001	6	1/4	12	4	22,5	18	13,5

OD8/000	8	1/8	15	5	24	14,5	16
OD8/001	8	1/4	15	6	26	18	16
OD8/002	8	3/8	15	6	27,5	21	16
OD10/001	10	1/4	17,6	8	27	18	16,5
OD10/002	10	3/8	17,6	8	29	21	16,5
OD12/001	12	1/4	20	7	31,5	18	19




ART.124/1 CSP	Rif.	Colonna singola con rondelle basse in nylon				
CODICE	FIL.	L	H	H1	CH.	
CSP/005	M5	5	21	17,5	8	
CSP/000	1/8	8	27	23	14	
CSP/001	1/4	9,6	33,5	29	17	
CSP/002	3/8	10,6	36,5	32	19	



ART.125/1 CDP	Rif.	Colonna doppia con rondelle basse in nylon			
CODICE	FIL.	L	H	H1	CH.

CDP/000	1/8	8	43	39	14
CDP/001	1/4	9,6	52,5	48	17
CDP/002	3/8	10,6	58,5	54	19



ART.129 RND	Rif.	Rondella in Nylon dentata		
CODICE	FIL.	D2	D1	S
RND/005	M5	8,5	5,3	1,5
RND/000	1/8	14,3	10,3	2
RND/001	1/4	18	13,6	2
RND/002	3/8	22	17	2
RND/003	1/2	26	21,8	2,5
RND/006	3/4	33	27	2,5
RND/007	1	41	33	2,5

