



aerospace climate control electromechanical filtration fluid & gas handling hydraulics pneumatics process control sealing & shielding





Transair : Advanced pipe systems for industrial fluids

Standards and certifications





ENGINEERING YOUR SUCCESS.



Transair diameters from 25 mm (1") up to 100 mm (4")



🔁 transair

Transair diameter 76 mm (3")

TRANSAIR STANDARDS AND CERTIFICATIONS

International Certification



ISO Certification

Parker Hannifin is certified ISO 9001 version 2008 (ISO TS 16949-2009 for the Automotive industry) and operates a Quality Management System in order to ensure the level of guality and service that is expected by its customers.

Parker Hannifin is certified ISO 14001 for its Environmental Management System which lower its impact on the environment.

• ISO 9001-2008

- ISO 14001-2004
- ISO 14001-2004
- ISO TS 16949-2009



TÜV Certification

TÜV Rheinland certifies that Transair fulfills regulatory requirements for pipes under pressure according to the German AD-2000 Merkblatt technical rules and to the European Pressure Equipment Directive 97/23/CE.

Transair aluminium range ø16,5

- ø25 ø40 ø63
- Transair aluminium range ø76
- Transair aluminium range ø100
- Transair aluminium range ø168
- Transair Stainless steel range



ASME B31.1/ B31.3

Transair meets the requirements of ASME B31.1 for non boiler external piping.

- which stipulates « the minimum requirements for the design, materials, fabrication, erection, test and inspection of power and auxiliary piping systems for industrial institutional plants.

Transair products are approved by the Technical Standards & Safety Authority (TSSA) and registered under the Canadian registration procedure (CRN). This allows the installation of Transair products in Canada.



GOST certification

The **GOST certificate** of conformity means that imported products comply with Russian standards, guality and safety requirements. This certificate is necessary for customs clearance in Russia and for sale within the country.

the quality of the painting process, the chemicals used, the finished quality and the coating resistance on the aluminium pipes. • ASME B31.1 compliance certificate

 CRN (Canadian Registration) Number)



Pipe standards

Qualicoat Label

Transair complies with the QUALICOAT label which guarantee


Qualicoat certificate



European Standards

Transair piping system complies with EN 755.2, EN 755.8, EN 573.3 for aluminium pipes and EN 10088-2 for stainless steel pipes. Those standards define mechanical and chemical properties of pipes.

• Standards EN 755-2, EN 755-8. EN 573-3 • Standard EN 10088-2



TRANSAIR STANDARDS AND CERTIFICATIONS

Product Quality



Product testing

All Transair products are tested and controlled at every stage of the production process to ensure a maximum efficiency to the customer. They had to succeed a series of drastic tests: static and dynamic leak tests, burst pressure, cycled pressure and accelerated ageing tests.



10 Year guarantee

Transair products which does not function due to a manufacturing or material defect are guaranteed within a period of 10 years from the date of the installation.

• 10 year guarantee certificate



Product traceability

Transair tracks each production batch at any stage of its organisational and marking process. In addition and for logistic purposes, Transair provides the origin of products. The chemical composition of Transair pipes, based upon batch number and barcode, is listed into the material certificate (according to standard EN 10204).

Long Term Declaration

- Certificate of origin
- Material Certificate (for pipes)

Air Quality




ISO 8573 Certification

This international standard establishes the different quality classes of compressed air. Transair has been successfully tested to reach the highest expectation of this standard. A Transair distribution network will not contaminate the fluid with solid particles, water, moisture or oil.

- Air Quality certificate
- Oil free certificate

Silicone Free



• Silicone-free certificate

Neutral gases & purity

cation.

Transair is adapted for distribution of non flammable gases such as : Argon, Nitrogen, Carbon Dioxyde and mix of these gases.

: Argon, Nitrogen, Carbon Dioxyde and mix of these gases.


- Based on laboratory purity testing, Transair (fittings and aluminium piping) is compatible with a 99,99% purity Nitrogen appli-
- Nitrogen purity application certificate
- Compatibility with Argon
 Compatibility with Argon / CO2 mixture
- Compatibility with Nitrogen

Vacuum



Transair can be used for vacuum applications down to 10 mbar absolute pressure.

Vacuum certificate



TRANSAIR STANDARDS AND CERTIFICATIONS

Environment



All Transair products are in compliance with the RoHS and **REACH** directives which limit the use of hazardous substances.





Transair has been specifically designed and produced to ensure a lower impact on the environment.

For example : a Life Cycle Analysis, from production of raw materials to end of product life, shows that the use of 168mm Transair is 5 times less harmful to the environment than a traditional steel pipe system.

The Transair piping system is certified by the Singapore Green Building Council based on the following criteria: environmental impact during manufacturing, energy efficiency, recyclability and conformity to manufacturing standards.

 BOHS & FLV certificate of compliance

- REACH regulation
- Singapore Green Building
- **Product Certification**
- Eco-Design



Safety



All Transair components are non-flammable with no propagation of flame.

- Pipe-to-pipe and stud connectors, ball valves and butterfly valves : conform to UL94HB

- Flexible hoses : compressed air hoses conform to ISO 8030, vacuum hoses conform to EN 12115
- Pipes' lacquer classified A2/M0 according to EN 13501-1
- UL 94 HB Aluminium range
- UL 94 HB Stainless steel range 42 & 60 mm
- Comportment in fire of Transair piping system
- OSHA certificate



Transair blowgun complies with regulations:


OSHA 1910.242 (b) for hand and portable powered tools, OSHA 1910.95 (b), Directive 2003/10/EC and INRS ED755 European Recommendation for noise exposure.

CE conformity

Transair conforms the European Pressure Equipment Directive 97/23/EC for article 3.3 and category I module A, depending on the diameter of pipe and the working pressure).

The aims of Directive 97/23/EC are to maintain a sufficient level of safety in the tanks, generators and piping. It applies to the design, manufacture and conformity assessment of pressure equipment and assemblies with a maximum allowable pressure above 0.5 bar.

CE certificate



TRANSAIR: ADVANCED PIPE SYSTEMS



Aluminium range:

Calibrated aluminium pipes Qualicoat painting

Diameters (in mm) 16.5 - 25 - 40 - 63 - 76 - 100 -168

Colours

Available in blue - grey - green Other colours upon request

Maximum working pressure

16 bar (from -20°C to +45°C) up to 100mm 13 bar (from -20°C to +60°C) for all diameters 7 bar (from 20°C to +85°C) for all diameters

Vacuum level

98.7% (13 mbar absolute pressure)

Working temperature -20°C to 85°C

NBR seals

Compatibility

Lubricated or oil-free compressed air, industrial vacuum, nitrogen (99,99% purity), inert gases.

Stainless steel range:

Stainless steel pipes AISI 304 or 316L

Diameters (in mm) 22 - 28 - 42 - 60 - 76 -100

Maximum working pressure

10 bar (from -10° C to $+60^{\circ}$ C) for all diameters 7 bar (from -10° C to $+90^{\circ}$) for all diameters

Working temperature

-10°C to 90°C

EPDM or FKM seals

Compatibility

Cooling water, industrial water with additives, lubricating oil, compressed air, inert gases.







Certification





🔁 transair

TRANSAIR: TOOLS AND SERVICES



The Transair Flow Calculator

- defines the recommended diameter for your project
- estimates pressure drops
- gives the maximum flow rate by diameter



The Transair Vacum Calculator

sizes your vacuum network with the most suitable diameter, with an estimation of any change in vacuum level.



The Transair Energy Efficiency Calculator

evaluates the energy cost of your network and the return on investment from installing a Transair system.



CAD drawings

you can view or download Transair product images in real time and in 2D or 3D.




Our Website: www.parkertransair.com

gives you access to extensive information about the Transair system, technical data, examples of existing networks and a download centre for catalogues, manuals, software and brochures.



Our quotation service

transair.quotation@parker.com gives you a budgeted or detailed quotation for your project and its implementation.



Parker Worldwide

Europe, Middle East, Africa

AE – United Arab Emirates, Dubai Tel: +971 4 8127100 parker.me@parker.com

AT – Austria, Wiener Neustadt Tel: +43 (0)2622 23501-0 parker.austria@parker.com

AT – Eastern Europe, Wiener Neustadt Tel: +43 (0)2622 23501 900 parker.easteurope@parker.com

AZ – Azerbaijan, Baku Tel: +994 50 2233 458 parker.azerbaijan@parker.com

BE/LU – Belgium, Nivelles Tel: +32 (0)67 280 900 parker.belgium@parker.com

BG – Bulgaria, Sofia Tel: +359 2 980 1344 parker.bulgaria@parker.com

BY – Belarus, Minsk Tel: +375 17 209 9399 parker.belarus@parker.com

CH – Switzerland, Etoy Tel: +41 (0)21 821 87 00 parker.switzerland@parker.com

CZ – Czech Republic, Klecany Tel: +420 284 083 111 parker.czechrepublic@parker.com

DE – Germany, Kaarst Tel: +49 (0)2131 4016 0 parker.germany@parker.com

DK – Denmark, Ballerup Tel: +45 43 56 04 00 parker.denmark@parker.com

ES – Spain, Madrid Tel: +34 902 330 001 parker.spain@parker.com

FI – Finland, Vantaa Tel: +358 (0)20 753 2500 parker.finland@parker.com

FR – France, Contamine s/Arve Tel: +33 (0)4 50 25 80 25 parker.france@parker.com

© 2014 Parker Hannifin Corporation. All rights reserved.

GR – Greece, Athens Tel: +30 210 933 6450 parker.greece@parker.com **HU – Hungary,** Budaörs Tel: +36 23 885 470 parker.hungary@parker.com

IE – Ireland, Dublin Tel: +353 (0)1 466 6370 parker.ireland@parker.com

IT – Italy, Corsico (MI) Tel: +39 02 45 19 21 parker.italy@parker.com

KZ – Kazakhstan, Almaty Tel: +7 7273 561 000 parker.easteurope@parker.com

NL – The Netherlands, Oldenzaal Tel: +31 (0)541 585 000 parker.nl@parker.com

NO – Norway, Asker Tel: +47 66 75 34 00 parker.norway@parker.com

PL – Poland, Warsaw Tel: +48 (0)22 573 24 00 parker.poland@parker.com

PT – Portugal, Leca da Palmeira Tel: +351 22 999 7360 parker.portugal@parker.com

RO – Romania, Bucharest Tel: +40 21 252 1382 parker.romania@parker.com

RU – Russia, Moscow Tel: +7 495 645-2156 parker.russia@parker.com

SE – Sweden, Spånga Tel: +46 (0)8 59 79 50 00 parker.sweden@parker.com

SK – Slovakia, Banská Bystrica Tel: +421 484 162 252 parker.slovakia@parker.com

SL – Slovenia, Novo Mesto Tel: +386 7 337 6650 parker.slovenia@parker.com

TR – Turkey, Istanbul Tel: +90 216 4997081 parker.turkey@parker.com

UA – Ukraine, Kiev Tel +380 44 494 2731 parker.ukraine@parker.com

UK – United Kingdom, Warwick Tel: +44 (0)1926 317 878 parker.uk@parker.com **ZA – South Africa,** Kempton Park Tel: +27 (0)11 961 0700 parker.southafrica@parker.com

North America

CA – Canada, Milton, Ontario Tel: +1 905 693 3000

US – USA, Cleveland Tel: +1 216 896 3000

Asia Pacific

AU – Australia, Castle Hill Tel: +61 (0)2-9634 7777

CN – China, Shanghai Tel: +86 21 2899 5000

HK – Hong Kong Tel: +852 2428 8008

IN – India, Gurgaon Tel: +91 124 459 0600 legris.india@parker.com

JP – Japan, Tokyo Tel: +81 (0)3 6408 3901

KR – South Korea, Seoul Tel: +82 2 559 0400

MY – Malaysia, Shah Alam Tel: +60 3 7849 0800

NZ – New Zealand, Mt Wellington Tel: +64 9 574 1744

SG – Singapore Tel: +65 6887 6300

TH – Thailand, Bangkok Tel: +662 186 7000-99

TW – Taiwan, Taipei Tel: +886 2 2298 8987

South America

AR – Argentina, Buenos Aires Tel: +54 3327 44 4129

BR – Brazil, Sao Jose dos Campos Tel: +55 800 727 5374

CL – Chile, Santiago Tel: +56 2 623 1216

MX – Mexico, Toluca Tel: +52 72 2275 4200

European Product Information Centre Free phone: 00 800 27 27 5374 (from AT, BE, CH, CZ, DE, DK, EE, ES, FI, FR, IE, IL, IS, IT, LU, MT, NL, NO, PL, PT, RU, SE, SK, UK, ZA)

BUL/T0053/EN 05/14

Fluid System Connectors Division Europe Transair Business Unit CS 46911 - 74 rue de Paris 35069 Rennes - France phone : + 33 (0)2 99 25 55 00 fax : + 33 (0)2 99 25 56 47 transair@parker.com www.parkertransair.com

