



SPINN

Rotary screw compressors

kW 5,5 - 7,5 - 11
bar 8 - 10



The advantages

A new range of compact and efficient rotary screw air compressors designed to offer the most demanding user a total compressed air solution and featuring simple design, low running and maintenance costs and quiet operation.

SPINN

- + *simple*
- + *silent*
- + *economical*
- + *dependable*



"Check Control" Electronic Control Panel

The new "check control" allows safe and simple operation of the machine and in addition provides maintenance and diagnostic warning. With the following functions/indicators:

- ✓ emergency button
- ✓ pressure gauge
- ✓ hour counter
- ✓ power on
- ✓ load / idle running, auto timed stop
- ✓ incorrect rotation / phase sequence relay
- ✓ main motor thermal overload protection
- ✓ high air/oil temperature
- ✓ maintenance program table.



- 1 Air end TriAB 51
- 2 Main electric motor (IP54)
- 3 Transmission belts
- 4 Automatic belt tensioner
- 6 Air/oil separator tank
- 6 Oil filter
- 7 Air/oil separator filter
- 8 Electric cooling fan
- 9 Oil cooler
- 10 Air filter
- 11 Air In-take valve
- 12 "Check Control" Control panel
- 13 Star Delta Starter Enclosure

Technical data

SPINN basic version

Model	Pressure		Capacity		Motor Power kW/HP	Air end	Noise level dB(A)	Dimensions mm Length x Width x Height	Weight Kg
	bar	psi	m ³ /min	CFM					
SPINN 5,5	8	116	0,78	27,6	5,5/7,5	TriAB 51	64	930 x 615 x 1045	265
	10	145	0,70	24,7					
SPINN 7,5	8	116	1,20	42,4	7,5/10	TriAB 51	66	930 x 615 x 1045	270
	10	145	1,04	36,7					
SPINN 11	8	116	1,65	58,3	11/15	TriAB 51	69	930 x 615 x 1045	280
	10	145	1,40	49,5					

SPINN basic version + 270 lt air receiver

SPINN 5,5	8	116	0,78	27,6	5,5/7,5	TriAB 51	64	1180 x 615 x 1640	335
	10	145	0,70	24,7					
SPINN 7,5	8	116	1,20	42,4	7,5/10	TriAB 51	66	1180 x 615 x 1640	340
	10	145	1,04	36,7					
SPINN 11	8	116	1,65	58,3	11/15	TriAB 51	69	1180 x 615 x 1640	350
	10	145	1,40	49,5					

SPINN basic version + 500 lt air receiver*

SPINN 5,5	8	116	0,78	27,6	5,5/7,5	TriAB 51	64	1960 x 615 x 1640	400
	10	145	0,70	24,7					
SPINN 7,5	8	116	1,20	42,4	7,5/10	TriAB 51	66	1960 x 615 x 1640	405
	10	145	1,04	36,7					
SPINN 11	8	116	1,65	58,3	11/15	TriAB 51	69	1960 x 615 x 1640	415
	10	145	1,40	49,5					

Technical data may vary without notice

WORKING CONDITIONS:
 - Intake air pressure 1 bar
 - Air temperature at intake 20°C
 - FAD as per ISO 1217
 - Sound levels as per ISO 3744
 *Special Order



ORIGINAL SPARE PARTS

Code	Description
8234403	Complete filters kit SPINN 5,5-7,5 kW ordinary maintenance 0-2000 hours
8234404	Complete filters kit SPINN 11 kW ordinary maintenance 0-2000 hours

CUSTOMER SERVICE

A full product support package is available to all of our customers throughout the world. Qualified technical advice and support is provided in strategic locations and in all major countries. Advice on installation, selection, additional equipment, maintenance management and environmental issues is available on request.

Tel: 01869 326226

Fax: 01869 326216

e-mail: enquiries@abac.co.uk

ABAC product range



ROTARY SCREW COMPRESSORS

From 2.2 to 200 kW (from 3.0 to 270 Hp),
from 8 to 15 bar

VARIABLE SPEED VERSION

From 11 to 75 kW (from 15 to 100 Hp),
from 6 to 13 bar



PISTON COMPRESSORS

- Direct drive oil-free and lubricated from 1.5 to 3 Hp, up to 100 litre air receiver, working pressure from 1 to 10 bar
- Belt driven, lubricated, single stage, two stage from 2 to 25 Hp, from 27 to 1000 litre air receiver, max pressure 15 bar
- Silenced, belt driven, single stage, two stage from 2 to 10 Hp, up to 500 litre air receiver, working pressure from 1 to 11 bar



COMPRESSED AIR TREATMENT

- Refrigeration dryer from 16 to 6,000 m³/h
- Oil filters from 3 to 0,01 micron and carbon filter from 400 to 60,000 l/min
- Cyclonic separators from 30 to 1,200 m³/h
- Oil-water separators from 120 to 1,800 m³/h
- Air receiver from 100 to 5,000 litre



PNEUMATIC TOOLS

Full range of professional air tools for automotive, building, mechanical, wood working, nailing and stapling



ABAC UK Ltd

Unit 11, Granville Way,
Chaucer Business Park
Bicester, Oxon, OX26 4JT U.K.

Tel: 01869 326226

Fax: 01869 326216

e-mail: enquiries@abac.co.uk

www.abac.co.uk

All information subject to change without notice.

Distributor

